



NOTICE TO CONTRACTORS
HIGHWAY CONSTRUCTION

June 7, 2010

Sealed bids will be received in the Bid Room SA-19, located on the service level of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited.

Bonds submitted on other than the bond form provided by the department may be subject to rejection.

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person, who believes his /her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact OEO's Title VI Coordinator at (360) 705-7098.

WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7098.

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specification. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening.

Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Seattle, Spokane, and Tacoma, and the offices of the Regional Administrators or the Headquarters of the Department of Transportation, where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted.

FEE

Project Documents will be furnished for the non-refundable fee of: **\$ 25.00 Plus Sales Tax**

(Remittance may be made to the Washington State Treasurer and sent to the address below).

TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360. Current Bid Results are available through the Internet address below.

Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at:

<http://www.wsdot.wa.gov/biz/contaa>

ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.

Americans with Disabilities Act (ADA) Information

If you would like copies of this document in an alternative format - large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097.

Individuals requiring reasonable accommodation may request written materials in alternate formats, sign language interpreters, physical accessibility accommodations, or other reasonable accommodation by contacting the event sponsor Dave Mariman 360-705-7017, usually 2 weeks before the bid opening. Persons with hearing impairments may call Washington State Telecommunications Relay Service TT 1-800-833-6388 Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to the event sponsor's phone number.

BID OPENING WEDNESDAY, JUNE 16, 2010

- *1. (KING) **S HUDSON ST TO WARD ST AUTOMATED VIADUCT CLOSURE GATE SYSTEM**
*** (CL 16, \$1,500,000 - \$2,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8%.** F.A. No. NHS-0099(109) on SR 99, MP 27.92 to MP 33.08. Requires: Installing vertical traffic gates, seismometers along with corresponding communication equipment, power, barrier, signing, erosion control, traffic control and other work. 90 Working days. Involves 55 items. 62 LF beam guardrail, 3 EA protective vehicle, 450 LF directional boring. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Shoring or extra excav CLA, gate foundations & platforms, gate sys, uninterruptible power supply sys, seismic sys, communication cable & interfaces, video, voice & data dist & trans sys, electrical sys mod, electrical power sys, temp traffic control, pedestrian control & protect, struct survey, rdwy survey, health & safety plan, SPCC plan.(XL-3697)(809935A)(10A016)(7959)(3 of 3)(1)

BID OPENING WEDNESDAY, JUNE 23, 2010

- *1. (SNOHOMISH) **196TH ST (SR 524) INTERCHANGE- SB BRAIDED RAMP** (CL 1 or 6, \$25,000,000 –
** \$35,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 13%.** A State Project on I-5, MP 181.55 to MP
*** 183.36. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Constructing a prestressed concrete girder bridge, retaining walls, monotube sign bridge, bridge mounted sign brackets, drainage, installing catch basins, storm sewer detention vaults and treatment pond, pavement planing, paving with HMA, beam guardrail, concrete traffic barrier, illumination systems, permanent signing, pavement marking, erosion/water pollution control and planting, traffic control and other work. 360 Working days. Involves 244 items. 76025 CY rdwy excav incl haul, 2292 CY unsuitable foundation excav incl haul, 83452 T gravel borrow incl haul, 45525 CY embank comp, 3593 T quarry spalls, 9470 LF underdrain pipe, 938 CY media filter drain, 3340 SY geomembrane, 89 EA catch basin, 11054 LF test storm sewer pipe, 10499 LF sch A storm sewer pipe, 508 LF furnish and jack st casing pipe, 2616 CY struct excav CL A incl haul, 5130 CY gravel backfill, 9019 LF shaft, 8613 LF furnish soldier pile, 188900 LB st rebar, 1382 CY conc CL 4000, 2280 LF prestressed conc girder, 18096 SF lagging, 2564 LF sew traffic barrier, 374 LF sew pedestrian barrier 28851 SF conc fascia panel, 445 EA encapsulated soil nail, 46275 SF struct earth wall, 18062 CY backfill incl haul, 1230 T permeable ballast, 17347 T crushed surface base course, 48713 SY plane bit pvmt, 53400 SY special plane bit pvmt, 25624 T HMA CL 1/2 IN PG 64-22, 60000 SY plastic covering, 7482 LF silt fence, 5438 LF temp curb, 2 EA chitosan-enhanced sand filtration sys, 8760 HR operation of chitosan-enhanced sand filtration sys, 898 CY topsoil, 1040 EA beaked hazelnut, 1053 EA nootka rose, 3738 EA snowberry, 2001 EA vine maple, 3501 EA wax myrtle, 1248 EA hardstem bulrush, 1134 EA indian pond lily, 2951 EA sawbeak sedge, 2951 EA small-fruited bulrush, 1415 CY soil amend, 1471 CY bark or wood chip mulch, 2730 LF high visibility fence, 4600 LF extruded curb, 7954 LF beam guardrail, 10 EA beam guardrail trans section, 960 LF precast conc barrier, 2828 LF single slope conc barrier, 210 LF CIP differential grade conc barrier, 9838 LF temp conc barrier, 53943 LF plastic line, 39637 LF profiled plastic line, 6835 LF profiled plastic wide lane line, 24379 LF plastic wide line, 195018 LF temp pvmt marking, 29694 CY struct excav CL B incl haul, 80498 SF shoring or extra excav CL B, 782 CY gravel backfill, 850 MGAL water, 3450 LF temp const fence, 3432 LF chain link fence, 16917 SY const geotextile, 8110 SF shotcrete facing. **CONTAINS MINIMUM BID ITEMS: TYPE C PROGRESS SCH & SCH UPDATE.** Lump Sum Bids for: Precast reinf conc detention vault, shoring or extra excav CL A, stormwater chemical

treatment plan, data summary report, sign bridge, bridge mounted sign bracket, temp illum sys, illum sys, traffic data accum and ramp meter sys, temp ramp meter sys, CCTV, comm cables & interfaces, comm conduit sys, HAR sys, rd/weather environmental sensor station, video, voice & data dist & trans sys, temp traffic control, temp dewatering sys, cure box, struct survey, rdwy survey, health & safety plan, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 43800 LB st rebar, 291 CY conc CL 4000D, 130 CY conc CL 4000, 2340 LF plastic waterstop, 1030 SY membrane waterproofing.(XL-2628)(100537B)(09A030)(7945) (7 of 6)8)(2)

- *2. (KING) **VASHON FERRY TERMINAL TIMBER TRESTLE PRESERVATION** (CL 6 or 49, \$750,000 - \$1,000,000) A State Project for Washington State Ferries. Requires: Timber pile repair, timber cap repair, asphalt paving, storm sewer, water line vault, traffic control and other work. 100 Working days. Involves 46 items. 116 LF timber traffic curb replace, 12 EA timber pile replace, 10 EA timber brace replace, 430 T HMA CL 1/2 IN PG 64-22, 690 LF extruded curb, 4390 LF paint line, 234 EA re-spiking deck panels. Lump Sum Bids for: New vault & valve install, exterior timber stringer replace, timber trestle repair, pedestrian control & protect, temp traffic control, SPCC plan. (FT-1783)(-)(10X221)(7961)(2 of 3)

BID OPENING WEDNESDAY, JUNE 30, 2010

- *1. (WHATCOM) **DOWNTOWN BELLINGHAM ON/OFF RAMPS RAMP RECONSTRUCTION** (CL 1 or 6, \$5,000,000 - \$7,500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 18% F.A. No. IM-ITS-0055(238) on I-5, MP 251.95 to MP 254.86. CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Lengthening ramps by grading, construction of soldier pile walls, planing bituminous pavement, paving with hot mix asphalt, pavement marking, installation of guardrail, concrete barrier and permanent signing, illumination system, ITS traffic data accumulation and ramp metering system, erosion control and planting, replacing off ramp sign bridge, traffic control and other work. 160 Working days. Involves 137 items. 14755 CY rdwy excav incl haul, 17200 T select borrow incl haul, 9305 CY embank comp, 1640 LF cement conc gutter, 2857 LF underdrain pipe, 10 EA catch basin, 1179 LF test storm sewer pipe, 1231 LF CL V reinf conc storm sewer pipe, 5052 LF shaft, 7099 LF furnish soldier pile, 15948 SF lagging, 20245 SF conc fascia panel, 1772 SY prefabricated drain mat, 112 EA perm ground anchor, 3055 T crushed surface base course, 5450 SY plane bit pvmt, 4815 T HMA CL 1/2 IN PG 64-22, 5890 LF longitudinal jnt seal, 5500 SY temp erosion control blanket, 16 EA stabilized const entrance st plate, 2725 LF silt fence, 3820 LF wattle, 3100 LF temp curb, 205 EA douglas fir, 156 EA shore pine, 794 EA nootka rose, 1421 EA snowberry, 398 EA tall oregon grape, 6759 EA salal, 265 CY coarse compost, 661 CY soil amendment, 661 CY bark or wood chip mulch, 3100 LF extruded curb, 3025 LF beam guardrail, 2030 LF temp conc barrier, 410 EA temp flex guide post, 18560 LF paint line, 1500 LF plastic wide line, 29080 LF temp pvmt marking, 1800 SF const signs CL A, 3900 LF chain link fence, 1540 LF glare screen, 3731 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Perm ground anchor verification test, perm signing, sign bridge, temp illum sys, illum sys, ITS traffic data accumulation and ramp meter sys, temp traffic control, cure box, struct survey, health & safety plan, SPCC plan.(XL-2774)(100585Q)(10A001)(7962)(3 of 5)(2)
2. (WHITMAN, SPOKANE, LINCOLN, GRANT, ADAMS) **PCC BRIDGE REHABILITATION** (CL 54, \$600,000 - \$700,000) A State Project for Washington State Rail Division. Requires: Replacing bridge decks and stringers, replacing and constructing bracing, bent repair and other work. 55 Working days. Involves 60 items. (RA-0044)(700100A)(10E001)(7965)(1 of 3)

BID OPENING THURSDAY, JULY 8, 2010

1. (SNOHOMISH) **MUKILTEO FERRY TERMINAL – FLOATING DOLPHIN PRESERVATION** (CL 49, \$2,500,000 - \$3,000,000) A State Project for Washington State Ferries. Requires: Constructing, installing and anchoring a concrete floating dolphin, removing and disposing of an existing timber dolphin and other work. 100 Working days. Involves 14 items. 6 EA furnish stockless anchor, 72 T floating dolphin ballast, 4410 LF floating dolphin anchor chain. Lump Sum Bids for: Floating dolphin, floating dolphin fender assembly, marine survey, SPCC plan.(XL-3469)(952515O)(09W124)(7964)(1 of 4)

Paula J. Hammond, P.E.
Secretary of Transportation

* Previously Advertised
** Extended
*** Revised

Projects awarded the week of June 1, 2010

(Snohomish) US 2 Interchange Flyover Ramp- #7938 –Scarsella Bros., Inc., Kent, WA 98031-1884 -
\$15,514,435.30